# CS 70Discrete Mathematics and Probability TheoryFall 2024Rao, HugHW 03

Due: Saturday, 9/21, 4:00 PM Grace period until Saturday, 9/21, 6:00 PM

### Sundry

Before you start writing your final homework submission, state briefly how you worked on it. Who else did you work with? List names and email addresses. (In case of homework party, you can just describe the group.)

1 Short Tree Proofs

Note 5 Let G = (V, E) be an undirected graph with  $|V| \ge 1$ .

- (a) Prove that every connected component in an acyclic graph is a tree.
- (b) Suppose G has k connected components. Prove that if G is acyclic, then |E| = |V| k.
- (c) Prove that a graph with |V| edges contains a cycle.

### 2 Proofs in Graphs

Note 5 (a) On the axis from San Francisco traffic habits to Los Angeles traffic habits, Old California is more towards San Francisco: that is, civilized. In Old California, all roads were one way streets. Suppose Old California had *n* cities ( $n \ge 2$ ) such that for every pair of cities *X* and *Y*, either *X* had a road to *Y* or *Y* had a road to *X*.

Prove that there existed a city which was reachable from every other city by traveling through at most 2 roads.

[*Hint:* Induction]

(b) Consider a connected graph G with n vertices which has exactly 2m vertices of odd degree, where m > 0. Prove that there are m walks that *together* cover all the edges of G (i.e., each edge of G occurs in exactly one of the m walks, and each of the walks should not contain any particular edge more than once).

[*Hint:* In lecture, we have shown that a connected undirected graph has an Eulerian tour if and only if every vertex has even degree. This fact may be useful in the proof.]

(c) Prove that any graph *G* is bipartite if and only if it has no tours of odd length.[*Hint:* In one of the directions, consider the lengths of paths starting from a given vertex.]

## 3 Touring Hypercube

- Note 5 In the lecture, you have seen that if G is a hypercube of dimension n, then
  - The vertices of *G* are the binary strings of length *n*.
  - *u* and *v* are connected by an edge if they differ in exactly one bit location.

A *Hamiltonian tour* of a graph is a sequence of vertices  $v_0, v_1, \ldots, v_k$  such that:

- Each vertex appears exactly once in the sequence.
- Each pair of consecutive vertices is connected by an edge.
- $v_0$  and  $v_k$  are connected by an edge.
- (a) Show that a hypercube has an Eulerian tour if and only if *n* is even.
- (b) Show that every hypercube has a Hamiltonian tour.

## 4 Edge Colorings

Note 5

An edge coloring of a graph is an assignment of colors to edges in a graph where any two edges incident to the same vertex have different colors. An example is shown on the left.



- (a) Show that the 4 vertex complete graph above can be 3 edge colored. (Use the numbers 1,2,3 for colors. A figure is shown on the right.)
- (b) Prove that any graph with maximum degree  $d \ge 1$  can be edge colored with 2d 1 colors.
- (c) Show that a tree can be edge colored with d colors where d is the maximum degree of any vertex.

### 5 Planarity and Graph Complements

- Note 5 Let G = (V, E) be an undirected graph. We define the complement of G as  $\overline{G} = (V, \overline{E})$  where  $\overline{E} = \{(i, j) \mid i, j \in V, i \neq j\} E$ ; that is,  $\overline{G}$  has the same set of vertices as G, but an edge e exists is  $\overline{G}$  if and only if it does not exist in G.
  - (a) Suppose G has v vertices and e edges. How many edges does  $\overline{G}$  have?
  - (b) Prove that for any graph with at least 13 vertices, G being planar implies that  $\overline{G}$  is non-planar.
  - (c) Now consider the converse of the previous part, i.e., for any graph G with at least 13 vertices, if  $\overline{G}$  is non-planar, then G is planar. Construct a counterexample to show that the converse does not hold.

*Hint:* Recall that if a graph contains a copy of  $K_5$ , then it is non-planar. Can this fact be used to construct a counterexample?